

BID SUPPLEMENT No. 01
December 17, 2024

This **Addendum No. 01** is issued to modify or amend items in the PhilGEPS Posting for the Procurement of **Supply & Delivery of Construction Materials for Pamansalan CIS (Lot 1), Dipolog City, Zamboanga del Norte** with Contract No.: **NIAR9-EPA-RESTOCIS2025-011 (GOODS)**.

This shall form an integral part of the Bid Documents.

Section III. Bid Data Sheet – ITB Clause No. 19.3, Item No. 14-18, 24-25, 38-40, 42, 57, 68, 74, 126, 143, 152 & 158

Section VI. Schedule of Requirements, Item No. 14-18, 24-25, 38-40, 42, 57, 68, 74, 126, 143, 152 & 158

Section VII. Technical Specifications, Item No. 14-18, 24-25, 38-40, 42, 57, 68, 74, 126, 143, 152 & 158

The following information shall be noted:

From:

 **Section III. Bid Data Sheet – ITB Clause No. 19.3, Item No. 14-18, 24-25, 38-40, 42, 57, 68, 74, 126, 143, 152 & 158**

ITB Clause				
19.3	Total ABC = Php 3,609,179.07			
	Item No.	Description	Quantity	Unit
		LOT 1 – Construction Materials		
	14	RSB 10mmØ	2,356.00	pcs
	15	RSB 12mmØ	230.00	pcs
	16	RSB 16mmØ	165.00	pcs
	17	RSB 12mmØ Plain Bar	25.00	pcs
	18	Tie Wire	125.00	kg
	24	G.I. Corrugated Sheet Gauge 24	34.00	sheets
	25	G.I. Plain Sheet Gauge 24	2.00	sheets
	38	Tented Sliding Window: 1.2m x 1.2m sliding tented glass window with analoc frame and complete accessories	2.00	unit
	39	Tented French Type Window: 0.4m x 0.6m French Type tented glass window with analoc frame and complete accessories	1.00	unit
	40	Wire: #10 Sigle Strand White (150m/box)	1.00	box
	42	Wire: #12 Sigle Strand White(150m/box)	1.00	box
	57	Bulb Socket: Outdoor Bulb Sucket w/ enclosure	8.00	pc
	68	Why 45 dig. 4"Ø (S1000)	1.00	pc
	74	Why 45 dig. 2"Ø (S1000)	2.00	pcs
	126	Bult with Nut and Washers 12mmØ	28.00	pcs



143	Bolt, Nut and washers 25mmØ	8.00	pcs
152	Portable Welding Machine 300A, Power Voltage V: 220V, Rated Input Capacity (kVA) 3.8 kVA, Input Voltage Frequency (Hz): 60Hz, Efficiency: 85.0%, Insulation Class : F, Protection Class: IP21S, Inclusion: Ground Clamp, Argon Regulator, 6m welding Cable.	2.00	unit
158	First Aid Kit First Aid Box: W:11"x L: 6.25", H: 5.75" 1 pc Povidine 10% Solution, Antiseptic Disinfectant 30ml 1pc Betadine wound Solution 60ml 5pcs Leuko plast 1.25cm x1m 5pcs Gauge Bandage 24 x 20 mesh 1box Bantam Strips 19mm x 55mm @100pcs/box 1pc Digital Thermometer 1pc Alcohol 500ml 1pc Scissor 1 box Biogesic Paracetamol 1box Neozep Forte 1box Amoxicillin 1 pack Cotton	1.00	ls

Section VI. Schedule of Requirements, Item No. 14-18, 24-25, 38-40, 42, 57, 68, 74, 126, 143, 152 & 158

Item No.	Description	Quantity	Unit	Total	Delivered, Weeks/Months
LOT 1 – Construction Materials					
14	RSB 10mmØ	1,456.00	pcs	2,356.00	1 st Month
		900.00			2 nd Month
15	RSB 12mmØ	230.00	pcs	230.00	1 st Month
16	RSB 16mmØ	165.00	pcs	165.00	1 st Month
17	RSB 12mmØ Plain Bar	25.00	pcs	25.00	1 st Month
18	Tie Wire	125.00	kg	125.00	1 st Month
24	G.I. Corrugated Sheet Gauge 24	34.00	sheets	34.00	1 st Month
25	G.I. Plain Sheet Gauge 24	2.00	sheets	2.00	1 st Month
38	Tented Sliding Window: 1.2m x 1.2m sliding tented glass window with analoc frame and complete accessories	2.00	unit	2.00	2 nd Month
39	Tented French Type Window: 0.4m x 0.6m French Type tented glass window with analoc frame and complete accessories	1.00	unit	1.00	2 nd Month
40	Wire: #10 Sige Strand White (150m/box)	1.00	box	1.00	2 nd Month
42	Wire: #12 Sige Strand White (150m/box)	1.00	box	1.00	2 nd Month
57	Bulb Socket: Outdoor Bulb Sucket w/ enclosure	8.00	pc	8.00	2 nd Month



68	Why 45 dig. 4"ø (S1000)	1.00	pc	1.00	1 st Month
74	Why 45 dig. 2"ø (S1000)	2.00	pcs	2.00	1 st Month
126	Bult with Nut and Washers 12mmø	28.00	pcs	28.00	2 nd Month
143	Bolt, Nut and washers 25mmø	8.00	pcs	8.00	1 st Month
152	Portable Welding Machine 300A, Power Voltage V: 220V, Rated Input Capacity (kVA)3.8 kVA, Input Voltage Frequency (Hz): 60Hz, Efficiency: 85.0%, Insulation Class : F, Protection Class: IP21S, Inclusion: Ground Clamp, Argon Regulator, 6m welding Cable.	2.00	unit	2.00	1 st Month
158	First Aid Kit First Aid Box: W:11"x L: 6.25", H: 5.75" 1 pc Povidine 10% Solution, Antiseptic Disinfectant 30ml 1pc Betadine wound Solution 60ml 5pcs Leuko plast 1.25cm x1m 5pcs Gauge Bandage 24 x 20 mesh 1box Bantam Strips 19mm x 55mm @100pcs/ box 1pc Digital Thermometer 1pc Alcohol 500ml 1pc Scissor 1 box Biogesic Paracetamol 1box Neozep Forte 1box Amoxicillin 1 pack Cotton	1.00	ls	1.00	1 st Month

Section VII. Technical Specifications, Item No. 14-18, 24-25, 38-40, 42, 57, 68, 74, 126, 143, 152 & 158

Item	Specification	Statement of Compliance
		<i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i>
14	RSB 10mmø	
15	RSB 12mmø	



16	RSB 16mmØ	
17	RSB 12mmØ Plain Bar	
18	Tie Wire	
24	G.I. Corrugated Sheet Gauge 24	
25	G.I. Plain Sheet Gauge 24	
38	Tented Sliding Window: 1.2m x 1.2m sliding tented glass window with analoc frame and complete accessories	
39	Tented French Type Window: 0.4m x 0.6m French Type tented glass window with analoc frame and complete accessories	
40	Wire: #10 Sige Strand White (150m/box)	
42	Wire: #12 Sige Strand White(150m/box)	
57	Bulb Socket: Outdoor Bulb Sucket w/ enclosure	
68	Why 45 dig. 4"Ø (S1000)	
74	Why 45 dig. 2"Ø (S1000)	
126	Bult with Nut and Washers 12mmØ	
143	Bolt, Nut and washers 25mmØ	
152	Portable Welding Machine 300A, Power Voltage V: 220V, Rated Input Capacity (kVA)3.8 kVA, Input Voltage Frequency (Hz): 60Hz, Efficiency: 85.0%, Insulation Class : F, Protection Class: IP21S, Inclusion: Ground Clamp, Argon Regulator, 6m welding Cable.	
158	First Aid Kit First Aid Box: W:11"x L: 6.25", H: 5.75" 1 pc Povidine 10% Solution, Antiseptic Disinfectant 30ml 1pc Betadine wound Solution 60ml 5pcs Leuko plast 1.25cm x1m 5pcs Gauge Bandage 24 x 20 mesh 1box Bantam Strips 19mm x 55mm @100pcs/ box 1pc Digital Thermometer 1pc Alcohol 500ml 1pc Scissor 1 box Biogesic Paracetamol 1box Neozep Forte 1box Amoxicillin 1 pack Cotton	

To:

 Section III. Bid Data Sheet, Item No. 14-18, 24-25, 38-40, 42, 57, 68, 74, 126, 143, 152 & 158

ITB Clause				
19.3	Total ABC = Php 3,609,179.07			
	Item No.	Description	Quantity	Unit
		LOT 1 – Construction Materials		
	14	RSB 10mmØ x 6m (grade 40)	2,356.00	pcs



15	RSB 12mmØ x 6m (grade 40)	230.00	pcs
16	RSB 16mmØ x 6m (grade 40)	165.00	pcs
17	RSB 12mmØ x 6m Plain Bar (grade 40)	25.00	pcs
18	G.I. Tie Wire #16	125.00	kg
24	G.I. Corrugated Sheet Gauge 24 (10' x 0.9m)	34.00	sheets
25	G.I. Plain Sheet Gauge 24 (8')	2.00	sheets
38	Tinted Sliding Window: 1.2m x 1.2m sliding Tinted glass window with analoc frame and complete accessories	2.00	unit
39	Tinted French Type Window: 0.4m x 0.6m French Type Tinted glass window with analoc frame and complete accessories	1.00	unit
40	Wire: #10 Single Strand White (150m/box)	1.00	box
42	Wire: #12 Single Strand White(150m/box)	1.00	box
57	Bulb Socket: Outdoor Bulb Socket w/ enclosure	8.00	pc
68	Wye 45 dig. 4"Ø (S1000)	1.00	pc
74	Wye 45 dig. 2"Ø (S1000)	2.00	pcs
126	Bolt with Nut and Washers 12mmØ (150-200mm)	28.00	pcs
143	Bolt, Nut and washers 25mmØ (150-200mm)	8.00	pcs
152	Portable Welding Machine 300A, Power Voltage V: 220V, Rated Input Capacity (kVA)3.8 kVA, Input Voltage Frequency (Hz): 60Hz, Efficiency: 85.0%, Insulation Class : F, Protection Class: IP21S, Inclusion: Ground Clamp, Argon Regulator, 6m welding Cable.	2.00	unit
158	First Aid Kit First Aid Box: W:11"x L: 6.25", H: 5.75" 1 pc Povidone 10% Solution, Antiseptic Disinfectant 30ml 1pc Betadine wound Solution 60ml 5pcs Leuko-plast bandage tape 1.25cm x1m 5pcs Gauge Bandage 24 x 20 mesh 1box Bantam Strips 19mm x 55mm @100pcs/box 1pc Digital Thermometer 1pc Alcohol 500ml 1pc Scissor 1 box Biogesic Paracetamol 1box Neozep Forte 1box Amoxicillin 1 pack Cotton	1.00	ls

Section VI. Schedule of Requirements, Item No. 14-18, 24-25, 38-40, 42, 57, 68, 74, 126, 143, 152 & 158

Item No.	Description	Quantity	Unit	Total	Delivered, Weeks/Months
LOT 1 - Construction Materials					
14	RSB 10mmØ x 6m (grade 40)	1,456.00	pcs	2,356.00	1st Month
		900.00			2nd Month
15	RSB 12mmØ x 6m (grade 40)	230.00	pcs	230.00	1st Month
16	RSB 16mmØ x 6m (grade 40)	165.00	pcs	165.00	1st Month



17	RSB 12mmØ x 6m Plain Bar (grade 40)	25.00	pcs	25.00	1 st Month
18	G.I. Tie Wire #16	125.00	kg	125.00	1 st Month
24	G.I. Corrugated Sheet Gauge 24 (10' x 0.9m)	34.00	sheets	34.00	1 st Month
25	G.I. Plain Sheet Gauge 24 (8')	2.00	sheets	2.00	1 st Month
38	Tinted Sliding Window: 1.2m x 1.2m sliding Tinted glass window with analoc frame and complete accessories	2.00	unit	2.00	2 nd Month
39	Tinted French Type Window: 0.4m x 0.6m French Type Tinted glass window with analoc frame and complete accessories	1.00	unit	1.00	2 nd Month
40	Wire: #10 Single Strand White (150m/box)	1.00	box	1.00	2 nd Month
42	Wire: #12 Single Strand White(150m/box)	1.00	box	1.00	2 nd Month
57	Bulb Socket: Outdoor Bulb Socket w/ enclosure	8.00	pc	8.00	2 nd Month
68	Wye 45 dig. 4"Ø (S1000)	1.00	pc	1.00	1 st Month
74	Wye 45 dig. 2"Ø (S1000)	2.00	pcs	2.00	1 st Month
126	Bolt with Nut and Washers 12mmØ (150-200mm)	28.00	pcs	28.00	2 nd Month
143	Bolt, Nut and washers 25mmØ (150-200mm)	8.00	pcs	8.00	1 st Month
152	Portable Welding Machine 300A, Power Voltage V: 220V, Rated Input Capacity (kVA)3.8 kVA, Input Voltage Frequency (Hz): 60Hz, Efficiency: 85.0%, Insulation Class : F, Protection Class: IP21S, Inclusion: Ground Clamp, Argon Regulator, 6m welding Cable.	2.00	unit	2.00	1 st Month
158	First Aid Kit First Aid Box: W:11"x L: 6.25", H: 5.75" 1 pc Povidone 10% Solution, Antiseptic Disinfectant 30ml 1pc Betadine wound Solution 60ml 5pcs Leuko-plast bandage tape 1.25cm x1m 5pcs Gauge Bandage 24 x 20 mesh 1box Bantam Strips 19mm x 55mm @100pcs/ box 1pc Digital Thermometer 1pc Alcohol 500ml 1pc Scissor 1 box Biogesic Paracetamol 1box Neozep Forte 1box Amoxicillin	1.00	ls	1.00	1 st Month



	1 pack Cotton				
--	---------------	--	--	--	--

Section VII. Technical Specifications – Lot 1 Item No. 64, Item No. 14-18, 24-25, 38-40, 42, 57, 68, 74, 126, 143, 152 & 158

Item	Specification	Statement of Compliance
		<i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i>
	LOT 1 – Construction Materials	
14	RSB 10mmØ x 6m (grade 40)	
15	RSB 12mmØ x 6m (grade 40)	
16	RSB 16mmØ x 6m (grade 40)	
17	RSB 12mmØ x 6m Plain Bar (grade 40)	
18	G.I. Tie Wire #16	
24	G.I. Corrugated Sheet Gauge 24 (10' x 0.9m)	
25	G.I. Plain Sheet Gauge 24 (8')	
38	Tinted Sliding Window: 1.2m x 1.2m sliding Tinted glass window with analoc frame and complete accessories	
39	Tinted French Type Window: 0.4m x 0.6m French Type Tinted glass window with analoc frame and complete accessories	
40	Wire: #10 Single Strand White (150m/box)	
42	Wire: #12 Single Strand White (150m/box)	
57	Bulb Socket: Outdoor Bulb Socket w/ enclosure	
68	Wye 45 dig. 4"Ø (S1000)	
74	Wye 45 dig. 2"Ø (S1000)	
126	Bolt with Nut and Washers 12mmØ (150-200mm)	
143	Bolt, Nut and washers 25mmØ (150-200mm)	
152	Portable Welding Machine 300A, Power Voltage V: 220V, Rated Input Capacity (kVA) 3.8 kVA, Input Voltage Frequency (Hz): 60Hz, Efficiency: 85.0%, Insulation Class : F, Protection Class: IP21S, Inclusion: Ground Clamp, Argon Regulator, 6m welding Cable.	
158	First Aid Kit First Aid Box: W:11"x L: 6.25", H: 5.75" 1 pc Povidone 10% Solution, Antiseptic Disinfectant 30ml 1pc Betadine wound Solution 60ml	






Republic of the Philippines
NATIONAL IRRIGATION ADMINISTRATION
REGIONAL OFFICE NO. IX (ZAMBOANGA PENINSULA)

5pcs Leuko plast bandage tape 1.25cm x1m 5pcs Gauge Bandage 24 x 20 mesh 1box Bantam Strips 19mm x 55mm @100pcs/ box 1pc Digital Thermometer 1pc Alcohol 500ml 1pc Scissor 1 box Biogesic Paracetamol 1box Neozep Forte 1box Amoxicillin 1 pack Cotton	
---	--

For the guidance and information of all concerned.


FEDERICO A. DALAOTA
BAC Vice Chairperson

Received by the Bidder:

Date: _____

